

## Notes

- 1. Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- 2. The finished level of the concrete encasement should be 3-5mm above the channel edge.
- 3. Expansion control joints are recommended for protection of the concrete encasement.



# 603 300mm x 200mm - Load Class C150

FOR ASPHALT

# **Specification Clause**

The surface drainage system shall be Sabdrain 603 300 200 polypropylene plastic channel, fitted with galvanised steel grating Load Class – C150.

# **Properties**

Sabdrain 603 300200 polypropylene plastic channels shall meet the following properties:-

<b>3 1 1 1 1 1</b>	
COMPRESSIVE STRENGTH	58N/mm²
TENSILE STRENGTH	14N/mm²
DENSITY	0.960 g/cm <sup>2</sup>
WATER ABSORPTION	<0.05%
THERMAL EXPANSION COEFFICIENT	15x12⁻⁵ mm/°C
FROST PROOF	YES
MELTING POINT	162 – 168 °C
CO EFFICIENT OF ROUGHNESS	N=0.010
CHEMICAL RESISTENCE	YES
NON FLAMMABLE	YES
	In all on the second

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

#### Dimensions

Sabdrain 603 300200 channels dimensions shall be an internal height of 200mm with an internal width of 300mm and an overall height of 270mm and width of 390mm, with Male/Female inter-locking joints, the channels shall have provision to create a 2° (17M) Radius.

## Grates

Refer to the relevant specification sheet for the selected grate.

## Installation

The Sabdrain 603 300200 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

