

### **Notes**

- Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- The finished level of the concrete encasement should be 3-5mm above the channel
- Expansion control joints are recommended for protection of the concrete encasement.



# 901 200mm x 100mm - Load Class A10

FOR CONCRETE

### **Specification Clause**

The surface drainage system shall be Sabdrain 901 200 100 polypropylene plastic channel, fitted with 304 stainless steel heel guard grating Load Class - A10

## **Properties**

Sabdrain 901 200100 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH 58N/mm<sup>2</sup> 14N/mm<sup>2</sup> TENSILE STRENGTH **DENSITY** 0.960 g/cm<sup>2</sup> WATER ABSORPTION <0.05% THERMAL EXPANSION COEFFICIENT 15x12<sup>-5</sup> mm/°C

FROST PROOF YES

**MELTING POINT** 162 - 168 °C N=0.010 CO EFFICIENT OF ROUGHNESS CHEMICAL RESISTENCE YES NON FLAMMABLE YES

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

#### **Dimensions**

Sabdrain 901 200100 channels dimensions shall be an internal height of 100mm with an internal width of 200mm and an overall height of 150mm and width of 250mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

#### Grates

Refer to the relevant specification sheet for the selected grate.

### Installation

The Sabdrain 901 200100 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

