

#### **Notes**

- Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- 2. The finished level of the concrete encasement should be 3-5mm above the channel edge.
- 3. Expansion control joints are recommended for protection of the concrete encasement.



# 902 150mm x 150mm - Load Class A10

FOR ASPHALT

### **Specification Clause**

The surface drainage system shall be Sabdrain 902 150 150 polypropylene plastic channel, fitted with 304 stainless steel heel guard anti-slipgrating Load Class - A10

## **Properties**

Sabdrain 902 150150 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH
TENSILE STRENGTH
DENSITY
WATER ABSORPTION
THERMAL EXPANSION COEFFICIENT
FROST PROOF
MELTING POINT

58N/mm²
14N/mm²
0.960 g/cm²
<0.05%
15x12-5 mm/°C
YES
162 - 168 °C

MELTING POINT

CO EFFICIENT OF ROUGHNESS

CHEMICAL RESISTENCE

NON FLAMMABLE

MEQ. 162 - 168

N=0.010

YES

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

#### **Dimensions**

Sabdrain 902 150150 channels dimensions shall be an internal height of 150mm with an internal width of 150mm and an overall height of 200mm and width of 200mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

### Grates

Refer to the relevant specification sheet for the selected grate.

#### Installation

The Sabdrain 902 150150 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

