

### Notes

- Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- 2. The finished level of the concrete encasement should be 3-5mm above the channel edge.
- 3. Expansion control joints are recommended for protection of the concrete encasement.



# 501 100mm x 50mm - Load Class A10

FOR CONCRETE

## Specification Clause

The surface drainage system shall be Sabdrain 501 10050 polypropylene plastic channel, fitted with polypropylene grating Load Class - A10.

# **Properties**

Sabdrain 501 10050 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH
TENSILE STRENGTH
DENSITY
WATER ABSORPTION
18 SN/mm²
14N/mm²
0.960 g/cm²
<0.05%

THERMAL EXPANSION COEFFICIENT 15x12<sup>-5</sup> mm/°C

FROST PROOF YES

MELTING POINT

CO EFFICIENT OF ROUGHNESS

CHEMICAL RESISTENCE

NON FLAMMABLE

M=0.010

YES

YES

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

#### **Dimensions**

Sabdrain 501 10050 channels dimensions shall be an internal height of 50mm with an internal width of 100mm and an overall height of 100mm and width of 150mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

#### Grates

Refer to the relevant specification sheet for the selected grate.

## Installation

The Sabdrain 501 10050 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

