

### Notes

- Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- 2. The finished level of the concrete encasement should be 3-5mm above the channel edge.
- 3. Expansion control joints are recommended for protection of the concrete encasement.



# 602 150mm x 150mm - Load Class B80

FOR ASPHALT

## Specification Clause

The surface drainage system shall be Sabdrain 602 150 150 polypropylene plastic channel, fitted with galvanised steel grating Load Class – B80.\*

\*Load Classification AS3996:2006 B80 is similar to EN1433:2008 B125.

## **Properties**

Sabdrain 602 150150 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH

TENSILE STRENGTH

DENSITY

WATER ABSORPTION

CONTROL OF STRENGTH

58N/mm²

14N/mm²

0.960 g/cm²

<0.05%

THERMAL EXPANSION COEFFICIENT 15x12-5 mm/°C

FROST PROOF YES

MELTING POINT

CO EFFICIENT OF ROUGHNESS

CHEMICAL RESISTENCE

NON FLAMMABLE

MEQ. 168 °C

N=0.010

YES

YES

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

#### **Dimensions**

Sabdrain 602 150150 channels dimensions shall be an internal height of 150mm with an internal width of 150mm and an overall height of 200mm and width of 200mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

#### Grates

Refer to the relevant specification sheet for the selected grate.

### Installation

The Sabdrain 602 150150 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

