

#### Notes

- Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- The finished level of the concrete encasement should be 3-5mm above the channel
- Expansion control joints are recommended for protection of the concrete encasement.



# 902 100mm x 50mm - Load Class A10

FOR ASPHALT

### Specification Clause

The surface drainage system shall be Sabdrain 902 100 50 polypropylene plastic channel, fitted with 304 stainless steel heel guard anti-slipgrating Load Class - A10

## **Properties**

Sabdrain 902 10050 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH 58N/mm<sup>2</sup> 14N/mm<sup>2</sup> TENSILE STRENGTH **DENSITY** 0.960 a/cm<sup>2</sup> WATER ABSORPTION <0.05% THERMAL EXPANSION COEFFICIENT 15x12<sup>-5</sup> mm/°C

FROST PROOF YES

**MELTING POINT** 162 - 168 °C N=0.010 CO EFFICIENT OF ROUGHNESS CHEMICAL RESISTENCE YES NON FLAMMABLE YES

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

### **Dimensions**

Sabdrain 902 10050 channels dimensions shall be an internal height of 50mm with an internal width of 100mm and an overall height of 100mm and width of 150mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

#### Grates

Refer to the relevant specification sheet for the selected grate.

### Installation

The Sabdrain 902 10050 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

