

Notes

- 1. Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated. Always seek engineering advice.
- 2. The finished level of the concrete encasement should be 3-5mm above the channel edge.
- 3. Expansion control joints are recommended for protection of the concrete encasement.



951 200mm x 300mm - Load Class A10

FOR ASPHALT

Specification Clause

The surface drainage system shall be SABdrain 951 200 300 polypropylene plastic channel, fitted with marine grade stainless steel heel guard grating Load Class – A10

Properties

SABdrain 951 200300 polypropylene plastic channels shall meet the following properties:-

| 3 1 1 1 1 1 | |
|--|-------------------------|
| COMPRESSIVE STRENGTH | 58N/mm ² |
| TENSILE STRENGTH | 14N/mm ² |
| DENSITY | 0.960 g/cm ² |
| WATER ABSORPTION | <0.05% |
| THERMAL EXPANSION COEFFICIENT | 15x12⁵ mm/°C |
| FROST PROOF | YES |
| MELTING POINT | 162 – 168 °C |
| CO EFFICIENT OF ROUGHNESS | N=0.010 |
| CHEMICAL RESISTENCE | YES |
| NON FLAMMABLE | YES |
| for detailed eleminal registeres, refer to https://aphdrain.com.au/ahamical regist | |

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

Dimensions

SABdrain 951 200300 channels dimensions shall be an internal height of 300mm with an internal width of 200mm and an overall height of 330mm and width of 250mm, with Male/Female inter-locking joints, the channels shall have provision to create a 2° (17M) Radius.

Grates

Refer to the relevant specification sheet for the selected grate.

Installation

The SABdrain 951 200300 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

