
# jonite





**PRODUCT** CATALOGUE

Website www.jonite.com

**Social Media** f facebook.com/jonitestone pinterest.com/jonitestone

US


+1-484-224-2972 Singapore +65-6383-3788


# Table of Contents

01 INTRODUCTION	5
Our Story	6
Why Jonite?	7
Sustainability	8
02	
CUSTOMISATION	9
Process	10
Customisable Areas	12
Colours & Toyturos	17

03	
PRODUCTS	15
Trench Grates	19
Tree Grates	43
Pool Grates	61
Sump Covers	71
Bathroom Grates	83
Floor Drains	91
Ventilation Grilles	99
Street Benches	103

04	
MAINTENANCE	111
05	
LOADING	112
SPECIFICATIONS	
06	
INSTALLATION	113
GUIDES	
Trench Grates	115
Curve Grates	123
Grate Tiles™	125
Tree Grates	127
Banco™	131
Pool Grates	141
Sump Covers	144





#### **Our Story**

The spark behind our company and innovative products, historical innovation, and how Jonite's journey has resulted in being a partner of choice for hardscape solutions.

Inspired by the beautiful and magnificent stone castles built during the Middle Ages, we wondered if we could incorporate the rustic appeal of natural stone into durable, functional grates.

Thus began our journey to creating the world's first reinforced stone grate. After seven years of extensive research and development, we have coupled with intensive industry feedback, culminated in our first commercially-viable reinforced stone gratings launched to the world in 1994. In the years since then, we have continued to partner with architects, developers, and other distinguished customers in hardscape design.

We are striving to create even more durable, more aesthetically appealing, and environmentally friendly reinforced stone grates and panels. Thousands of clients have specified Jonite, chosen for the ultimate marriage of aesthetics and load-bearing performance.

#### **Our Vision**

Your reinforced decorative stone partner, presenting possibilities helping you solve architectural problems with innovative hardscape solutions.

We are your partner in presenting possibilities in helping you solve architectural problems with innovative reinforced stone solutions.

We are your stone hardscape partner that recognizes the transformational potential of a space. Our eye for detail, engaging designs, and dedication to lasting value aid architects to realise their vision. Every day, innovative development efforts are invested following constant feedback to ensure the best possible architectural products are created, with environmental concerns in mind, beauty, naturalness, and strength.

Our vision is to be a preferred brand that inspires architects to create bold and beautiful designs using our stone solutions.

#### Why Jonite?



#### **Stone Aesthetics**

Created from 95% natural aggregates and advanced hybrid polymers, Jonite architectural grates provide a finish which is both luxurious and natural to the touch, enabling architects to create unified designs from grates to street furniture and more.



#### Slip Resistance

Rough and natural matte surface enables natural slip resistance held up to international classifications. This provides a much-needed and unparalleled safety feature for schools and hospitals.



#### Sustainability

All Jonite product products comprise at least 30% recycled materials, and our R&D team is constantly working to make our products and manufacturing processes even more sustainable. We are also held up to several sustainability standards in Singapore and the US.



#### Durability

The unique material properties of Jonite products which prevents rust and corrosion mean they are equally suited to last a lifetime for both indoor and outdoor applications.



#### Theft Resistant

Conventional steel and cast iron grates and castings are highly susceptible to theft due to rising scrap value worldwide. Jonite hardscape products however, do not pose any value for scrap due to their stone material integrity.



# High Performance Properties

Reinforced with specially treated steel frames, Jonite grates provide stunning load bearing performance and are compliant to international load standards. Jonite stone products have high flexural, compressive and impact strength, low water and heat absorption.

#### Jonite, Your Green Partner

Jonite's commitment to the environment is driven from within its core values of the company's vision and mission. Our primary aim is to ensure longevity and quality of our products through energy-saving and resource-conserving production.

Our green practices are recognized - Green Label certified under Singapore Environment Council. The Building and Construction Authority(BCA) of Singapore Green Mark recognizes the use of Green Label certified products, and awards Green Mark points for their usage.

Jonite is also the only grates manufacturer to be recognized as a Leader with 4 ticks under the SGBC (Singapore Green Building Council) Architectural Drain Covers category. Products are assessed on their environmental properties and performance through a comprehensive list of assessment criteria covering the five key areas of Energy Efficiency, Water Efficiency, Resource Efficiency, Health & Environmental Protection and Other Green Features. This enables architects to accrue more BCA Green Mark points if they choose to use our reinforced stone trench grates.

Through the LEED® (Leadership in Energy and Environmental Design) green building certification programme, the U.S. Green Building Council is transforming the built environment. As a member of the USGBC and with the usage of recycled content, Jonite satisfies MR Credit 4: Recycled Content under LEED®. The LEED® Green Building Rating System is the nationally accepted benchmark for the design, construction and operation of high performance green building in the United States.









# Custom Design Solutions

Jonite's Design Department comprises of a team of creative designers and experienced engineers working in close collaboration with our Research and Development team. With our integrated operations, we bring you a one-stop support service that assists architects all the way from design concept to the final physical product.

- Custom applications
- Tailored load requirements
- Unique patterns and aesthetics
- Colours that match your project
- A plethora of size options



# The Customisation Process

#### Collaboration

The design team will have an in-depth discussion with you about your goals and vision as to how Jonite panels can fit into your overall design plans. During this time, we will also ensure that there is both material feasibility and cost efficiency before moving forward.

#### Conceptualisation

Upon receiving details in terms of the design or application effect you'd like to achieve, the design team will work to conceptualise the ideas. Depending on the time you have set aside for customisation, the team may suggest modifications on our current existing line of products, or create a brand new design.

### O3 Design & Testing

Our designers will create designs and run stress tests if necessary. During this stage, renderings will be made so that you would be able to visualise the concept fully. Upon receiving your feedback, adjustments can be made to make sure that our designs perfectly encapsulate your vision.

#### 04 Approval

Once all of the requirements are satisfied, we will seek final sign off before commencing production. At this point in time, we can fully support with any shop drawings required to make sure that all details are captured for the successful completion of your project.

#### 05 Production

Upon securing the necessary approvals, we will commence with production. Here at Jonite, we practice Just-In-Time production for all of our products, and are fully capable of making sure we can deliver within the lead time specified. Our experienced sales consultants can help assist to make sure that delivery is ontime for the project.

CUSTOMISATIONS  $\rightarrow$ 



### Customisable Areas

Our design team is dedicated to working hand-in-hand with architects and designers to overcome the constraints of different materials so as to achieve the designs of your visions.



#### Applications

We have helped architects create street furniture, ventilation grilles that also serve as a walking platform, decorative shopfront wall panels and more.




#### **Load Specifications**

Our design team can help suggest ways to reinforce our already-strong grates during the manufacturing process.



#### Open Area

You can customise the open areas for our reinforced stone grates so as to fit the design demands for gratings like ventilation grilles.





#### Colours & Textures

Our unique composite stone material enables you to choose any hue or texture to perfectly express your creativity.



#### Patterns

Be it sleek elegance, or playful modernity, you can achieve the perfect look by choosing to customise the patterns of any of our products.



#### Sizes

Have a unique design vision which calls for curved drainage covers or odd shapes or sizes? You can customise any Jonite design to specific dimensions to cut down on construction inefficiencies.

#### CUSTOMISATIONS $\rightarrow$

# Colours & Textures

On top of functional features, our team puts special efforts to create the products that work along with your design naturally and aesthetically. We offer a vast range of customised colours for our products, in addition to beautifully curated 16 standard colours by us.

#### **Customised Colours**

#### Step 1



Your sample, a reference for us to match, is couriered to Jonite's colour matching facility. Assessed by our specialists, material and colour combinations are calculated so to achieve the closest possible match. A process that can be achieved within two weeks.

Step 2



Upon completion of the colour matching process, our facility will supply you with three physical samples, different shades of the reference samples for your approval. You will have tangible colour & texture samples of the final product prior to production.

Step 3



Once the desired shade is selected, production will commence on your products and the unique formula saved for future reference. Through our patented technologies, our products can achieve up to a 90% match (to your reference sample).


13

# Standard Colours

**WACKY WHITE** 

**ROSY BEIGE** 

\*Please note that the samples inherit their core colours from their natural sources, colour may vary slightly from the images shown.











**TEAK BROWN** 

**ASH GREY** 

**SLATE GREY** 

**SMOKY GREEN** 

**CHAMPAGNE YELLOW** 

























#### 03 PRODUCTS

TRENCH GRATES	
General Information	21
Slotted	23
High Performance	29
Ready-Cut	33
Pattern	35
Avant-Garde	37
Nature	39
Modern	41

#### **Trench Grates**

Optional Features and Accessories

Jonite reinforced stone trench grates add a gloss of natural, yet modern finish that complements any city hardscape. The humble drain can now be elevated to match any design style.





#### Heel-Guard™ Grates

Heel-Guard™ Grates have slim 6mm slots and small radius fillets to prevent high heels from being caught in the grates. Compliant with Americans with Disabilities Act (ADA) requirements, these are extremely useful for cut-off or scupper drains of the entrance or concourse areas of a building.



Grate Tiles $^{\text{m}}$  are standard non-perforated solid slabs that have the same material composition and colour as Jonite grates. They are mainly used when a drain encounters an irregular joint or to fill an odd end of a drain.



#### L-Trimmers™

L-Trimmers™ is recommended for gratings built for heavy-duty applications and above. They are designed to provide aesthetic flair as well as the ideal support for all Jonite grates.



#### **Custom Curve Grates**

Curve grates are available in any radius and design upon request. All radius in a plan will be consolidated in a full-scale CAD drawing to help minimize the number of custom toolings required.

# GENERAL SPECIFICATIONS

A fundamental hardscape design element of any modern city is the drainage system, which protects against flooding by draining excess water away.

Now, underground drainage systems are designed to cope with frequent storms where any excess water always travels along the planned drainage flow paths to prevent flooding. Drainage systems are carefully planned to factor in the impact the drainage system has on our natural rivers and creeks. We are preventing waste from being washed into rivers and seas.

At Jonite, our reinforced stone channel grates and trench grates have redefined the role of gratings and drain covers in the architecture industry. With Jonite channel gratings and trench gratings, outdoor drain covers are more than functional products – they become a cornerstone in your design. They can become design focal points, inviting the viewer's eye to follow intricate patterns that open up into the building design.

All products in Jonite trench grates collection are available in exquisite textures and colours. All its trench grates give you the finish of natural stone with the strength to sustain pedestrian and vehicular load performance and durability for a lifetime.

Jonite absorbs much less heat compared to traditional ferrous gratings, making it a more comfortable material to have around the house and in children's playgrounds. Also, it has dielectric properties equivalent to porcelain, making it an excellent electrical insulator- a significant plus point in times of tropical thunderstorms.

Landscape architects like yourself have used our channel and trench grates for a variety of purposes, such as outdoor drain covers, channel grating along driveways, storm drainage and indoor applications. Aesthetics and functionality in a perfect marriage culminating in Jonite products makes us the natural choice.

PRODUCT SPECIFICATIONS

 $\downarrow$ 

Slip resistant

**Rust & corrosion resistant** 

BS EN 124:2015 & 1433:2008 compliant

Dielectric properties with excellent electric insulator

Less heat absorbent than traditional ferrous grates

LEED® (Leadership in Energy and Environmental Design) green building certified

LOADING SPECIFICATIONS

,

Class A15 - Class D400









#### SLOTTED

Classic and clean-cut designs in compliance with BS EN 124:2015 that cover a wide range of openings. Suitable for various applications, from scupper indoor and outdoor drains to common house drains and wider drains in parks, commercial and industrial surroundings.





#### 31110

#### S1-125H25LD

Load class A15

Drain width 75 to 90mm

Dimension 125W x 500L x 25mm (t)



#### 31111

S1-125H25HD

Load class B125
Drain width 75 to 85mm

Dimension 125W x 500L x 25mm (t)



#### 31112

C1-210H25LD

Load class A15

Drain width 128 to 170mm

Dimension 210W x 500L x25mm (t)



#### 31113

C1-210H35HD

Load class B125

Drain width 128 to 160mm

Dimension 210W x 500L x 35mm (t)



#### 31114

C2-292H25LD

Load class A15

Drain width 210 to 242mm

Dimension 292W x 500L x 25mm (t)



#### 31115

Load class

B125

Drain width 210 to 232mm

Dimension 292W x 500L x 35mm (t)

C2-292H35HD



#### 31116

C3-355H25LD

Load class A15

Drain width 273 to 305mm

Dimension 355W x 500L x 25mm (t)



#### 31117

C3-355H35HD

Load class B125

Drain width 273 to 295mm

Dimension 355W x 500L x 35mm (t)



31118

C4-435H35LD

Load class

Drain width 345 to 385mm

Dimension

435W x 420L x 35mm (t)



31119

C4-435H50HD

B125 Load class

345 to 375mm Drain width

435W x 420L x 50mm (t) Dimension



31120

C5-500H35LD

A15 Load class

Drain width 400 to 450mm

500W x 365L x 35mm (t) Dimension



31121

C5-500H50HD

Load class

Drain width

B125 400 to 440mm

Dimension 500W x 365L x 50mm (t)



34119C

Load class

Suitable for Standard S1-125H25LD



34120C

90° S1-H25HD

90° S1-H25LD

Load class B125

Suitable for Standard S1-125H25HD

A15



34110C

90° C1-H25LD

Load class

Suitable for

Standard C1-210H25LD



34111C

90° C1-H35HD

Load class

Suitable for Standard C1-210H35HD

B125



34113C

90° C2-H25LD

Load class

A15

Standard C2-292H25LD Suitable for



34114C

90° C2-H35HD

Load class B125

Suitable for

Standard C2-292H35HD



34116C

90° C3-H25LD

Load class A15

Standard C3-355H25LD Suitable for



34117C

Suitable for

90° C3-H35HD

Load class

Standard C3-355H35HD



34133C

90° C4-H35LD

90° C4-H50HD

Load class

Suitable for Standard C4-435H35LD

A15



34134C

Load class B125

Suitable for Standard C4-435H50HD



34135C

90° C5-H35LD

Load class A15

Suitable for

Standard C5-500H35LD



34136C

90° C5-H50HD

Load class B125

Suitable for

Standard C5-500H50HD



34121C Dimension L-TRIMMER-25LD

60W x 500L x 35mm (t)



34122C Dimension L-TRIMMER-35HD/EHD

60W x 500L x 50mm (t)



34126C

L-SLIM-TRIMMER-25LD/HD

Dimension 40W x 500L x 35mm (t)



34127C

TS-50-LD (Tile-Strip)

Dimension 50W x 500L x 10mm (t)



34129C

GT-400H25LD (Grate-Tile)

Load class

Dimension

400W x 400L x 25mm (t)



34131C

GT-400H35HD (Grate-Tile)

Load class

Dimension 400W x 400L x 35mm (t)



34130C

GT-500H25LD (Grate-Tile)

Load class

A15

Dimension 500W x 500L x 25mm (t)



34132C

GT-500H35HD (Grate-Tile)

Load class B125

Dimension

500W x 500L x 35mm (t)

TRENCH GRATES

#### COLLECTION

PRODUCTS  $\rightarrow$ 

#### HIGH **PERFORMANCE**

Specially designed for heavy loading applications such as car-park entrances, hard-standing areas, driveways and kerb sides. L-Trimmers are recommended to ensure a flat and level seating of gratings.





32110

C1-210H35EHD

Load class C250

128 to 150mm Drain width

Dimension 210W x 500L x 35mm (t)



32111

C1-210H50CHD

Load class D400

Drain width 128 to 150mm

Dimension 210W x 500L x 50mm (t)



32112

C2-292H35EHD

C250 Load class

Drain width 210 to 230mm

Dimension 292W x 500L x 35mm (t)



32113

C2-292H50CHD

Load class D400

Drain width 210 to 230mm

Dimension 292W x 500L x 50mm (t)



32114

C3-355H50EHD

Load class C250

Drain width 273 to 285mm

355W x 500L x 50mm (t) Dimension



32115

Drain width

C3-355H75CHD

Load class D400

273 to 285mm

Dimension 355W x 500L x 75mm (t)



32116

C4-435H70EHD

C4-435H75CHD

Load class C250

Drain width 345 to 365mm

Dimension 435W x 420L x 70mm (t)



32125

Load class

D400

Drain width 345 to 365mm

435W x 420L x 75mm (t) Dimension



32117

D1-167H35EHD

Load class C250

Drain width 100 to 117mm

Dimension 167W x 750L x 35mm (t)



32118

D1-167H50CHD


D400 Load class

Drain width 100 to 117mm

Dimension

167W x 750L x 50mm (t)

TRENCH GRATES



32121

D3-495H75EHD

Load class C250

Drain width 395 to 425mm

Dimension 495W x 370L x 75mm (t)



32122

D3-495H75CHD

Load class D400

Drain width 395 to 425mm

Dimension 495W x 370L x 75mm (t)



32123

BW1-260H50EHD

Load class C250

Drain width 200mm

Dimension 260W x 500L x 50mm (t)



32124

BW2-400H50EHD

Load class Drain width

C250

330mm

Dimension

400W x 500L x 50mm (t)



34112C

90° C1-H35EHD

C250

C250

Load class

Suitable for

Standard C1-210H35EHD



34115C

90° C2-H35EHD

Load class

Suitable for

Standard C2-292H35EHD



34118C

90° C3-H50EHD

Load class C250

Suitable for

Standard C3-355H50EHD



34122C

L-TRIMMER-35HD/EHD

Dimension 60W x 500L x 50mm (t)



34123C

L-TRIMMER-50EHD/CHD

Dimension 65W x 500L x 65mm (t)



34124C

L-TRIMMER-70EHD/CHD

Dimension 65W x 420L x 85mm (t)



34125C

Dimension

L-TRIMMER-75EHD/CHD

65W x 500L x 90mm (t)



34128C

Dimension

TS-50-HD/EHD (Tile-Strip)

50W x 500L x 15mm (t)

TRENCH GRATES **READY-CUT** 

#### COLLECTION

#### **READY-CUT**

Designed for replacement purposes without any form of construction work on existing drains. The longitudinal side of the gratings has a wider edging so that they can be cut to attain the required widths.





#### 33110

#### CC1-275H25LD

Load class A15

Drain width

171 to 225mm

Dimension 275W x 500L x 25mm (t)



#### 33111

CC1-275H35HD

Load class B125

Drain width

161 to 215mm

Dimension



275W x 500L x 35mm (t)



#### 33112

CC1-275H35EHD

275W x 500L x 35mm (t)

Load class

Drain width

Dimension

161 to 205mm



#### 33113

CC2-330H25LD

Load class

Drain width

A15 243 to 280mm

C250

Dimension

330W x 500L x 25mm (t)



#### 33114

#### CC2-330H35HD

Load class B125

Drain width

233 to 270mm

Dimension 330W x 500L x 35mm (t)



33115

#### CC2-330H50EHD

C250 Load class

Drain width

223 to 260mm

Dimension

330W x 500L x 50mm (t)



33116

CC3-410H35LD

Load class

A15

Drain width

225 to 360mm

Dimension

410W x 500L x 35mm (t)



33117

CC3-410H35HD

B125

Load class

296 to 350mm Drain width

Dimension

410W x 500L x 35mm (t)



#### 33118

CC3-410H50EHD Load class C250

Drain width

286 to 340mm

Dimension

410W x 500L x 50mm (t)

**PATTERN** 

Creative and imaginative designs for enhanced aesthetic flair while maintaining load strength. Available in 2 standard designs: ornate Keyholes and contemporary Baby Pebbles.

U33115

MG-PEBBLES-78

6KN Load class

Drain width 52 to 54mm

78W x 610L x 21/25mm (t) Dimension

61115

**BABY PEBBLES-86** 

Load class 6KN

Drain width 56 to 62mm

86W x 498L x 23mm (t) Dimension

80 to 100mm

61116

**BABY PEBBLES-122** 

Load class 6KN

Drain width

122W x 498L x 19mm (t)

Dimension

U32115

Load class 6KN

Drain width 92 to 100mm

Dimension 124W x 500L x 19mm (t)

61111

**BABY PEBBLES-150** 

TG-PEBBLES-124

Load class 6KN

Drain width 100 to 125mm

Dimension 150W x 500L x 25mm (t)

61112

**BABY PEBBLES-210** 

6KN Load class

Drain width 160 to 170mm

35

Dimension 210W x 500L x 25mm (t)





61113

**BABY PEBBLES-300** 

**KEYHOLES-122** 

TG-KEYHOLES-124

Load class 6KN Drain width

245 to 260mm

Dimension 300W x 500L x 35mm (t)

61117

Load class A15

Drain width 92 to 100mm

Dimension 122W x 498L x 22mm (t)

U32112

Load class A15

Drain width 92 to 100mm

Dimension 124W x 500L x 22mm (t)

6KN

36

250mm



61118

**KEYHOLES-300** 

Load class Drain width

Dimension

300W x 500L x 28mm (t)



**AVANT-GARDE** 

Abstract and innovative designs reminiscent of rain motifs for a futuristic and non-traditional finish.



64115

CHISELED-122

Load class 6KN

Drain width 92 to 100mm

Dimension 122W x 498L x 22mm (t)



U32110

TG-CHISELED-124

Load class A15

Drain width 92 to 100mm

Dimension 124W x 500L x 22mm (t)



64116

Load class 6KN Drain width 250mm

Dimension 300W x 500L x 28mm (t)



64114

Load class Drain width

Dimension

250mm

A15

CHISELED-300

**RAIN-SWING-300** 

300W x 500L x 25mm (t)

**NATURE** 

Created with floral and leaf-inspired designs for a stylish tropical resort touch, that allows the gratings to blend in more aesthetically with different landscapes and architecture.





62111 LEAVES-310

Load class 5KN

Drain width 210 to 260mm

Dimension 310W x 335L x 25mm (t)



62112 FOREST-300

Load class 5KN
Drain width 250mm

Dimension 300W x 500L x 25mm (t)



62113 PALM-122

Load class A15

Drain width 92 to 100mm

39

Dimension 122W x 498L x 22mm (t)



U32114 TG-PALM-124

Load class A15

Drain width 92 to 100mm

Dimension 124W x 500L x 22mm (t)



62114 PALM-300

Load class 6KN
Drain width 250mm

Dimension 300W x 500L x 28mm (t)



TRENCH GRATES
MODERN

COLLECTION

**MODERN** 

Minimalist and clean architectural lines feature strongly in this collection, making it the best match for modern styles. Available in 3 types of designs: Cross-Stitch, Interlace, and Square Slots.

63115

CROSS-STITCH-86

Load class A15
Drain width 60mm

Dimension 86W x 498L x 23mm (t)

63116

CROSS-STITCH-122

Load class A15

Drain width 92 to 100mm

Dimension 122W x 498L x 19mm (t)

U32111

TG-CROSS-STITCH-124

Load class A15

Drain width 92 to 100mm

Dimension 124W x 500L x 19mm (t)

 63110

CROSS-STITCH-300

Load class 6KN
Drain width 250mm

Dimension 300W x 500L x 25mm (t)

U33112

MG-INTERLACE-78

Load class A15

Drain width 52 to 54mm

Dimension 78W x 610L x 21/25mm (t)

63117

**INTERLACE-122** 

Load class A15

Drain width 92 to 100mm

Dimension 122W x 498L x 22mm (t)

0

U32113

TG-INTERLACE-124

Load class A15

Drain width 92 to 100mm

Dimension 124W x 500L x 22mm (t)

63118

**INTERLACE-300** 

Load class 6KN
Drain width 250mm

Dimension 300W x 500L x 25mm (t)

63119

SQUARE-SLOTS-122

Load class A15
Drain width 80mm

Dimension 122W x 498L x 19mm (t)

U32116

TG-SQUARE-SLOTS-124LD

Load class A15

Drain width 80 to 100mm

Dimension 124W x 500L x 19mm (t)

U32117

TG-SQUARE-SLOTS-124HD

Load class Drain width

72 to 82mm

B125

Dimension 124W x 500L x 19/35mm (t)

63120

**SQUARE-SLOTS-300** 

Load class A15
Drain width 250mm

Dimension 300W x 500L x 25mm (t)



#### 03 PRODUCTS

->

#### TREE GRATES

General Information	45
Firework	47
Concentric	49
Wheel	51
Star Grate	53
Pebble Hole	55
Large Tree Grate	57
Panel Grate	58
ADA	59

PRODUCTS  $\rightarrow$ 

#### **Tree Grates**

Incorporate nature's elements into any modern city and hardscape, in harmony with nature. In our concrete jungles today, trees play an essential role not just aesthetically, but also to complement the modern-day drainage system. Complete the look with Jonite reinforced stone tree grates.



#### **ADA** compliant

Complied to the Americans with Disabilities Act (ADA), selected Jonite Tree Grates are certified ADA compliant. This makes our tree grates popular in hospitals, clinics and residential areas.

#### **Embossed Insignia**

With Jonite, you can easily emboss a corporate insignia or municipal logo right onto the tree grates in use in your environment, giving it an exclusive identity to the locale.

#### Night Illumination

Jonite Tree Grates allows fully customisable light ports or sockets for the installation of many different types and sizes of lights for night illumination this will add an exciting dimension to the natural beauty of trees.

#### **Expandable Rings**

45

Some of our tree grates allow for expandability of inner diameter to accommodate the exponential growth of tree trunks during the maturity stage.

# GENERAL SPECIFICATIONS

Trees are essential in landscape planning. They are having positive effects such as reducing urban warming effects, providing shade to pedestrians, and adding a focal point to your driveway.

Tree grates are vital because they help avoid soil compaction and prevent tree roots from becoming obstacles to pedestrians, thus creating more walking space.

Our tree gratings are designed with the promotion of tree protection in mind, allowing rainwater to seep through while having narrow slits to prevent litter from falling through and smothering the soil. Some of our tree grates allow for expandability of inner diameter to accommodate the exponential growth of tree trunks during the maturity stage. Add inner rings when the trees are younger, and remove as the tree matures.

Some of the Jonite tree gratings are certified ADA compliant. Making our tree grates accessible in hospitals, clinics, and public areas as wheelchair users have no issues navigating their way around the grills.

Cast-iron tree grates may be prone to theft. Jonite reinforced stone tree grilles are theft-resistant because they do not pose any value for scrap due to their stone material integrity.

Jonite tree grates have low heat absorption properties to help create a conducive environment for the trees. Using cast-iron or metal can cause surrounding temperatures to soar, which might not promote ideal growth in trees.

Our tree grille designs allow for fully customizable light ports or sockets for the installation of many different types of lighting for night illumination.

We are adding an exciting dimension to the natural beauty of trees. Efficiently emboss a corporate insignia or municipal logo right onto the tree grates in your environment, giving an exclusive identity to the locale.

We also incorporate the use of at least 30% recycled content in our products, including our tree grates. This process is our commitment to contributing to a sustainable and green environment

#### PRODUCT SPECIFICATIONS

 $\downarrow$ 

ADA (Americans with Disabilities Act) compliant for selected models

Fully customizable light ports and logos

Suitable for any tree

Expandable inner diameter to allow for future tree growth

#### LOADING SPECIFICATIONS



5K1

Strictly for pedestrian application only





#### COLLECTION **FIREWORK**

One of the most popular patterns available, this collection has broad profile openings with design patterns resembling enchanting bursts of fireworks. Optional reducers can also be used to adjust the inner diameter of the tree-wells.





#### 81110

545mm Dia.

#### FIREWORK \$1000

Inner Well Dimension

1000W x 1000L x 30mm (t)



#### 81111

**FIREWORK S1100** 

Inner Well

600mm Dia.

Dimension

1100W x 1100L x 30mm (t)



Inner Well

Dimension

FIREWORK \$1200

#### 81113

#### FIREWORK \$1500 (w/ light ports)

Inner Well 600mm Dia.

Dimension 1500W x 1500L x 30mm (t)



#### 81117

Inner Well

FIREWORK \$1800/600

FIREWORK \$1800/750

600mm Dia.

1800W x 1800L x 30mm (t) Dimension



#### 81118

Inner Well

750mm Dia.

1800W x 1800L x 30mm (t) Dimension



#### 81115

Inner Well

600mm Dia.

1500mm Dia. x 30mm (t) Dimension

**FIREWORK R1500** 



#### 81119

Inner Well Dimension

600mm Dia.

1800mm Dia. x 30mm (t)

FIREWORK R1800/600



#### 81120

Inner Well Dimension 750mm Dia.

1800mm Dia. x 30mm (t)

FIREWORK R1800/750

600mm Dia.

1200W x 1200L x 30mm (t)

47

# CONCENTRIC

This collection has the maximum expandability of tree-wells, with a comprehensive combination that allows for various formations. A modern ADA-compliant design with light ports and an optional fixed cover.





83110 Inner Well

Dimension

**CONCENTRIC S800** 

350mm Dia. (expandable) 800W x 800L x 30mm (t)



83113

Dimension

Inner Well

**CONCENTRIC S1000** 

350mm Dia. (expandable) 1000W x 1000L x 30mm (t)



83116

Inner Well Dimension **CONCENTRIC S1200** 

350mm Dia. (expandable) 1200W x 1200L x 30mm (t)



83119

Inner Well Dimension **CONCENTRIC S2000** 

600mm Dia. (expandable) 2000W x 2000L x 30mm (t)



83120

Inner Well Dimension CONCENTRIC S2000 (w/ light port covers)

350mm Dia. (expandable) 2000W x 2000L x 30mm (t)



83111

Inner Well Dimension **CONCENTRIC R800** 

350mm Dia. (expandable) 800mm Dia. x 30mm (t)



83114

Inner Well Dimension **CONCENTRIC R1000** 

350mm Dia. (expandable) 1000mm Dia. x 30mm (t)



83117

Inner Well Dimension **CONCENTRIC R1200** 

350mm Dia. (expandable) 1200mm Dia. x 30mm (t)



83121

Inner Well Dimension CONCENTRIC R2000 (w/ light port covers)

350mm Dia. (expandable) 2000mm Dia. x 30mm (t)

WHEEL

The axle of the wheel inspired these elegant designs. Optional reducers can be used to accommodate the expandability of the tree-well. They can be used individually or as a combined set for a smaller tree-well.



85113

**WAGON WHEEL REDUCER R800** 

Inner Well Dimension 500mm Dia.

800mm Dia. x 30mm (t)



85112

**WAGON WHEEL R1800** 

Inner Well Dimension 800mm Dia.

1800mm Dia. x 30mm (t)



85110

FIRE WHEEL R1000

Inner Well

Dimension

400mm Dia.

1000mm Dia. x 30mm (t)



85111

FIRE WHEEL R2000

Inner Well

Dimension

1000mm Dia.

2000mm Dia. x 30mm (t)



87110

**BURNING SUN R1200** 

Inner Well

Dimension

400mm Dia.

1200mm Dia. x 30mm (t)



87113

**BURNING SUN R2000** 

Inner Well Dimension 1200mm Dia.

2000mm Dia. x 30mm (t)





95110

Inner Well Dimension THREAD-BALL R1500

560mm x 560mm

1500mm Dia. x 30mm (t)




88111

Inner Well Dimension **CARRIAGE R1800** 

600mm Dia.

1800mm Dia. x 30mm (t)



COLLECTION STARGRATE

The designs in this collection express an explosion burst that resembles a star. Specific models come with optional light ports and inner ring expandability.



91110

**STARGRATE R1500** 

Inner Well

700mm Dia.

Dimension

1500mm Dia. x 30mm (t)



91111

STARGRATE R1800

Inner Well

ll 600mm Dia.

Dimension 1800mm Dia. x 30mm (t)



91112

Inner Well

Dimension 2000mi

700mm Dia.

2000mm Dia. x 30mm (t)

STARGRATE R2000/700



91113

Inner Well Dimension STARGRATE R2000/980

980mm Dia.

2000mm Dia. x 30mm (t)



# PEBBLE HOLE

The Pebble Hole Collection comprises of different panels to form a variety of formation, with limited expandability. Well-suited for huge existing trees that are off-centre from the typical tree grate configurations.



92116

PEBBLE-HOLE R1000

Inner Well Dimension 450mm Dia.

1000mm Dia. x 30mm (t)



92117

PEBBLE-HOLE S1200

Inner Well 450mm Dia.

Dimension 1200W x 1200L x 30mm (t)



92118

Inner Well Dimension PEBBLE-HOLE R1500 (w/ light ports)

800mm Dia.

1500mm Dia. x 30mm (t)



92119

Inner Well
Dimension

PEBBLE-HOLE S1600 (w/ light ports)

800mm Dia.

1600W x 1600L x 30mm (t)

PRODUCTS  $\rightarrow$ 

#### LARGE TREE GRATE

Beautiful reinforced stone grates with expandable tree-well created explicitly for large trees. Available in 2 types of designs: a minimalistic Centrical design with simple lines and ornate Fallen Leaves.





#### 94110

#### **FALLEN LEAVES R2000**

Inner Well Dimension 600mm Dia. 2000mm Dia. x 30mm (t)



#### 94111

#### FALLEN LEAVES R3000

2000mm Dia.

Inner Well

Dimension

3000mm Dia. x 30mm (t)



#### 93110

#### **CENTRICAL R4000**

Inner Well

II 2400mm Dia.

Dimension

4000mm Dia. x 30mm (t)



#### 94112

#### **FALLEN LEAVES R5000**

Inner Well Dimension 3000mm Dia.

5000mm Dia. x 30mm (t)



PANEL GRATE

These square and rectangular cut panel grates provide enhanced aesthetic flair. This collection comprises panels in various shapes and sizes to form any formation.



92112

PEBBLE-HOLE 600


Dimension 600W x 600L x 30mm (t)



90110

**SQUARE MOSAIC 500** 

Dimension 500W x 500L x 30mm (t)



89110

Dimension

STARCUT 1200

600W x 1200L x 30mm (t)

TREE GRATES

ADA

PRODUCTS  $\rightarrow$ 

03



This wheelchair-friendly collection expands walking space for all pedestrians for greater accessibility. Available to suit a range of themes.



U41110 Inner Well

Dimension

CHISELED S1200

390/460/530/600mm Dia. 1200W x 1200L x 30mm (t)



U41111 Inner Well

Dimension

CHISELED S1500

390/460/530/600mm Dia. 1500W x 1500L x 30mm (t)



U42110 Inner Well

Dimension

**KEYHOLES S1200** 

390/460/530/600mm Dia. 1200W x 1200L x 30mm (t)



U42111 Inner Well

Dimension

**KEYHOLES S1500** 

390/460/530/600mm Dia. 1500W x 1500L x 30mm (t)



U43110 Inner Well

Dimension

59

**CROSS-STITCH S1200** 390/460/530/600mm Dia.

1200W x 1200L x 30mm (t)



U43111

Dimension

Inner Well


**CROSS-STITCH S1500** 390/460/530/600mm Dia. 1500W x 1500L x 30mm (t)



U44110

Inner Well Dimension **INTERLACE S1200** 

390/460/530/600mm Dia. 1200W x 1200L x 30mm (t)



U44111

Inner Well Dimension **INTERLACE S1500** 

390/460/530/600mm Dia. 1500W x 1500L x 30mm (t)



U45110

Inner Well Dimension **PALM S1200** 

390/460/530/600mm Dia. 1200W x 1200L x 30mm (t)



U45111

Dimension

Inner Well

**PALM S1500** 

390/460/530/600mm Dia. 1500W x 1500L x 30mm (t)




U46110

Inner Well Dimension 390Wx390L

1200W x 1200L x 30mm (t)

**SQUARE-SLOTS S1200** 



U46111

Inner Well Dimension

390Wx390L

60

1500W x 1500L x 30mm (t)

**SQUARE-SLOTS S1500** 



#### 03

#### PRODUCTS

 $\rightarrow$ 

#### POOL GRATES

General Information	63
Baby Pebble	65
Chiseled Rain	67
Components	69

PRODUCTS  $\rightarrow$ 

#### **Pool Grates**

Optional Features and Accessories

With its natural beauty and suitability superior to natural granite, Jonite swimming pool grates make for the perfect pool grating. We design our pool grates for overflow swimming pools. Pool surface flushes with the overflow tiles and grills, creating a perfect match for water line and nature.



#### Handgrip-Trimmers™

Handgrip-Trimmers™ is a safety feature that can be installed along the pool perimeter to allow a safer grip while getting out of a pool.



#### Stud Trimmers™

Pools that require more water drainage to prevent splash can use Stud-Trimmers™ with the pool grates to help improve the flow rates of the perimeter drains.



#### Grate Tiles™

Grate  $Tiles^{TM}$  are standard non-perforated solid slabs that have the same material composition and colour as Jonite grates. They are mainly used when a drain encounters an irregular joint or to fill an odd end of a drain.



#### **Custom Curve Grates**

Curve grates are available in any radius and design upon request. All radius in a plan will be consolidated in a full-scale CAD drawing to help minimize the number of custom toolings required.

# GENERAL SPECIFICATIONS

Swimming pools are no longer seen just as an amenity; today, they are part of an enticing landscape. A swimming pool can make or break an entire hardscape design.

Overflow pools are the most common type of pool in residential and commercial properties. Landscape architects can express their vision by introducing various shapes, colours, and tiles to make something completely different.

Jonite swimming pool gratings bring in natural stone beauty that adds a high-end elegance reminiscent of ancient Greece and luxurious Roman pools. Our capabilities to create custom pool grates upon request help bring your ideas to life.

Our swimming pool grates have excellent natural slip resistance, making it comfortable and safe for both children and adults, especially in frequently wet areas. The small elliptical holes of baby pebbles and thin slit slots of the chiseled rain design collection eliminate the danger of toddlers catching their toes in the grating. Our pool grates are also heat resistant, which makes the gratings more comfortable to step on in the heat of the midday sun.

Our pool gratings have a low water absorption rate of 0.5%. They maintain their colour when in contact with pool water, unlike natural stone slabs, which can discolour when in contact with water. Our pool grates are built using composite reinforcements, ensuring longevity in the swimming pool as it is corrosion-resistant.

We believe in sustainable living and preserving the environment for future generations. It is this belief that drives us in our commitment to using at least 30% recycled content in our products.

PRODUCT SPECIFICATIONS

V

Toddler-safe

Colour durability due to low water absorption

Slip-resistant

Heat resistant

**Environmentally-friendly** 

LOADING SPECIFICATIONS

 $\downarrow$ 

A15

Strictly for pedestrian application only





**POOL GRATES BABY PEBBLE** 

#### COLLECTION

#### **BABY PEBBLE**

Jonite Baby Pebble Pool Grate Collection consists of 3 standard sizes. Designed to be toddler-friendly, this contemporary collection with small slots will add character to the pool.





65110

Load class

6 KN

Drain width

190 to 215mm

BP245H25

Dimension

245W x 300L x 25mm (t)



65111

BP300H25

Load class

Drain width 240 to 270mm

6 KN

Dimension

300W x 300L x 25mm (t)



65112

BP350H30

6 KN

Load class

Drain width 280 to 310mm

Dimension

350W x 300L x 30mm (t)



67110C

90° BP245H25

Component Suitable for

BP245H25

**BP Corner-Grate** 



67111C

Component

Suitable for

90° BP300H25 **BP Corner-Grate** 

BP300H25



67112C

Component

90° BP350H30

**BP Corner-Grate** BP350H30 Suitable for



67113C

BE-BP245H25

Component

50mm BLANK-ENDS for BP245H25

245W x 300L x 25mm (t) Dimension



67114C

BE-BP300H25

Component Dimension

50mm BLANK-ENDS for BP300H25

300W x 300L x 25mm (t)



67115C

BE-BP350H30

50mm BLANK-ENDS for BP350H25 Component

Dimension 350W x 300L x 30mm (t)

#### **CHISELED RAIN**

Available in 3 standard sizes, the Chiseled Rain collection has an avant-garde design that will add a touch of sophistication in your pool designs.



66110

CR245H25

Load class 6 KN

Drain width 190 to 215mm

Dimension 245W x 300L x 25mm (t)



66111

CR300H25

Load class 6 KN

Drain width 240 to 270mm

300W x 300L x 25mm (t) Dimension



66112

CR350H30

Load class

Drain width

Dimension

6 KN 280 to 310mm

350W x 300L x 30mm (t)



68110C

90° CR245H25

Component Suitable for

**CR Corner-Grate** CR245H25



68111C

90° CR300H25

Component

**CR Corner-Grate** 

Suitable for CR300H25




68112C

90° CR350H30

Component Suitable for

**CR Corner-Grate** CR350H30





68113C

Component Dimension

50mm BLANK-ENDS for CR245H25

245W x 300L x 25mm (t)



68114C

Component Dimension

BE-CR300H25

BE-CR245H25

50mm BLANK-ENDS for CR300H25

300W x 300L x 25mm (t)



68115C

BE-CR350H30

50mm BLANK-ENDS for CR350H30 Component Dimension

350W x 300L x 30mm (t)

**POOL GRATES** 

#### COLLECTION

PRODUCTS  $\rightarrow$ 

#### **POOL GRATE COMPONENTS**

These additional components help ease the installation for Jonite pool grates and also provide a bonus of aesthetic flair.



69110C

PGT-400H25

Component Dimension

POOL GRATE-TILE (regular) 400W x 400L x 25mm (t)



69112C

PGT-400H30

Component Dimension

POOL GRATE-TILE (regular) 400W x 400L x 30mm (t)



69111C

PGT-500H25

Component Dimension

POOL GRATE-TILE (large) 500W x 500L x 25mm (t)



69113C

PGT-500H30

Component Dimension

POOL GRATE-TILE (large) 500W x 500L x 30mm (t)



69114C

Suitable for Dimension

L-TRIMMER 25-PG

All Pool Grates of 25mm (t)

60W x 300L x 35mm



69115C

L-TRIMMER 30-PG

Suitable for Dimension

All Pool Grates of 30mm (t) 60W x 300L x 40mm



69116C

Suitable for Dimension

STUDS-TRIMMER 25-PG

All Pool Grates of 25mm (t) 60W x 300L x 40mm



69117C

STUDS-TRIMMER 30-PG


Suitable for Dimension

All Pool Grates of 30mm (t) 60W x 300L x 45mm

#### 03 PRODUCTS

#### SUMP COVER

General Information 73
Slotted 75
High Performance 79
Basin Grates 81



PRODUCTS  $\rightarrow$ 

#### **Sump Cover**


Optional Features and Accessories

Add natural, modern stone aesthetics to your designs for point drainage systems. Our reinforced stone technology ensures that you can incorporate elegant stone into your design while ensuring optimum load strength.



#### **Custom Lockables**

Custom lockable sump covers are available upon request and can be available for all applications and sizes. L-Trimmer Frames™ is optional.



#### **Custom Hinged**

Custom hinged sump covers are available upon request though they are limited to specific applications and sizes. The exposed hinge components are made of stainless steel with weather-proof polyurethane dampers.



#### L-Trimmer Frames™

L-Trimmer Frames™ is mainly used for supporting sump covers, especially for heavy-duty applications. They provide a perfectly flat surface and seating allowance to maximise the performance of the sump cover.



#### **Large Custom Sump Covers**

A custom metal supporting frame can be designed to help support large sump covers with multiple panels.

# GENERAL SPECIFICATIONS

The humble sump cover, or maintenance hole cover, first began life in the Roman Empire as slabs of stone or wood placed over point drainage systems that allowed maintenance workers access to covered drains carrying wastewater and sewage.

This omnipresent sump cover is the basis of inspiration for Jonite's designs, in which we aim to showcase the beauty of stone with modern technology and excellent craftsmanship.

Today, point drainage systems are found everywhere in the streets, commercial factory areas, residential areas, and more. Point drains require covers to prevent environmental contamination and prevent accidental falls. With Jonite point drain covers and sump grates, architects no longer face the problem of having to place these openings in inconspicuous areas, but instead can use these catch basin grates as an additional design element.

Lower urban temperatures by choosing Jonite sump covers with low heat absorption compared to traditional metal or cast iron grates. Traditional metal or cast iron grates absorb heat during the day, which can create the urban heat island effect through the raised temperature for surrounding buildings. Jonite sump covers were designed to combat the effects of urban warming, which is rapidly becoming a severe issue for cities in the changing climate.

The unique material properties of Jonite products prevent rust and corrosion such that they are equally suited to last a lifetime for both indoor and outdoor applications. It is also theft-resistant, as Jonite hardscape products do not pose any value for scrap due to their stone material integrity.

Jonite catch basin grates and sump grates come in a wide range of standard sizes that can be assembled with the addition of Jonite splines to form huge covers. This feature gives you the added edge of cost-effectiveness and sustainability. For multiple sump covers, a metal sub-frame may be used. Optional Jonite Trimmer Frames can be used to provide aesthetic flair and high-performance support for the heavy-duty channel and sump grates.

PRODUCT SPECIFICATIONS

Low heat absorption

Rust and corrosion resistant

Extreme strength and durability

BS EN 124:2015 & 1433:2002 compliant

Dielectric properties with excellent electric insulator

Flexible sizes with the use of Jonite splines to form huge covers

LOADING SPECIFICATIONS

,

Class A15 - Class D400











SUMP COVER SLOTTED

COLLECTION

**SLOTTED** 

Sump covers with classic slotted designs in a variety of standard sizes and shapes for quick matches to your designs.





51110

Load class

Pit Size

250 x 250mm

A15

SC300-300H25LD

Dimension

300W x 300L x 25mm (t)



51111

Load class

Pit Size

Dimension

SC300-300H35HD B125

230 x 230mm

300W x 300L x 35mm (t)



51112

Load class

Pit Size

Dimension

SC300-600H25LD

A15

230 x 230mm

300W x 600L x 25mm (t)



51113

SC300-300H35HD

Load class B125

Pit Size 240 x 540mm

Dimension 300W x 600L x 35mm (t)



51120

SC400-400H35LD

Load class A15

350 x 350mm Pit Size

Dimension

400W x 400L x 35mm (t)



51121

SC400-400H35HD

Load class B125

Pit Size Dimension

340 x 340mm 400W x 400L x 35mm (t)

51122

SC400-500H35LD

Load class Pit Size

A15

350 x 450mm

Dimension 400W x 500L x 35mm (t)



51123

Load class

B125

Pit Size

340 x 440mm

Dimension

400W x 500L x 35mm (t)

SC400-500H35HD



51124

SC420-625H35LD

Load class

Pit Size 370 x 575mm

A15

Dimension

420W x 625L x 35mm (t)



51125

SC420-625H35HD

Load class

B125 360 x 565mm

Pit Size Dimension

420W x 625L x 35mm (t)



51126

Pit Size

SC435-873H35LD

Load class A15

385 x 823mm

Dimension

435W x 873L x 35mm (t)



51127

SC435-873H35HD

Load class

Pit Size

375 x 813mm

B125

Dimension

435W x 873L x 35mm (t)



51128

SC500-500H35LD

Load class A15

Pit Size

450 x 450mm

Dimension

500W x 500L x 35mm (t)



51129

SC500-500H35HD

Load class

Pit Size

440 x 440mm

B125

Dimension

500W x 500L x 35mm (t)



51130

SC550-550H35LD

Load class

Pit Size

500 x 500mm

A15

Dimension

550W x 550L x 35mm (t)



51131

SC550-550H50HD

Load class

Pit Size

490 x 490mm

B125

Dimension

550W x 550L x 50mm (t)




53110C

TRF300-300H25

Suitable for

SC300-300H25LD



53111C

TRF300-300H35

Suitable for

SC300-300H35HD



53112C

TRF300-600H25

Suitable for SC300-600H25LD



53113C

Suitable for

TRF300-600H35

SC300-600H35HD



53114C Suitable for TRF400-400H35

SC400-400H35LD / HD



53115C

Suitable for

TRF500-500H35

SC500-500H35LD / HD

SUMP COVER

PRODUCTS  $\rightarrow$ 

#### COLLECTION

# HIGH **PERFORMANCE**

Reinforced stone sump covers, specifically created to withstand heavy vehicular loads up to 400KN. Available in various sizes.





#### 52120

SSC300-600H35EHD

Load class Pit Size

C250 230 x 530mm

Dimension

300W x 600L x 35mm (t)



#### 52121

SSC300-600H50CHD

Load class Pit Size

D400 230 x 530mm

Dimension

300W x 600L x 50mm (t)



#### 52110

SSC350-700H50EHD

Load class

Pit Size

Dimension

C250 280 x 630mm 350W x 700L x 50mm (t)



#### 52117

SSC350-700H75CHD

Load class Pit Size

D400 280 x 630mm

Dimension

350W x 700Lx 75mm (t)



#### 52122

SSC400-400H50EHD

C250 Load class Pit Size

340 x 340mm

Dimension 400W x 400L x 50mm (t)



### 52123

SSC400-400H75CHD D400

Load class Pit Size

330 x 330mm

Dimension 400W x 400L x 75mm (t)

SSC500-500H50EHD

500W x 500L x 50mm (t)



#### 52118

C250

Load class

Pit Size 430 x 430mm



## 52119

SSC500-500H75CHD D400

Load class Pit Size

Dimension

Dimension

430 x 430mm 500W x 500L x 75mm (t)

#### **BASIN GRATES**

Perfectly shaped to be compatible with the most common catch basins in the USA, Jonite reinforced stone Basin Grates can be matched to other Jonite products for a seamless finish through your design.







#### U31110

#### **BG-CHISELED-300**

Load class Dimension A15

300W x 300L x 29/32mm (t)



### U31111

#### **BG-CROSS-STITCH-300**

300W x 300L x 29mm (t)

Load class

Dimension

A15

A15



#### U31112

#### **BG-KEYHOLES-300**

Load class

. 0.000

Dimension

300W x 300L x 29/32mm (t)



#### U31113

#### **BG-INTERLACE-300**

Load class

Als

Dimension 300W x 300L x 29/32mm (t)



U31114

#### BG-PALM-300

Load class

Dimension 300W x 300L x 29/32mm (t)

A15



U31115

#### **BG-PEBBLES-300**

Load class 6

6KN

Dimension 300W x 300L x 29mm (t)



#### U31116

Dimension

#### **BG-SQUARE-SLOTS-300**

Load class

A15

300W x 300L x 29mm (t)



### BATHROOM GRATES


General Information	85
Slotted	87
Waveline	89

PRODUCTS  $\rightarrow$ 

# Bathroom Grates

Toilets redefined

Inventors of the world's first reinforced stone bathroom grates. An aesthetically pleasing and cost-effective alternative to stainless steel grates. More than merely bathroom drain covers, we think of our bathroom gratings as a culmination of ancient history and modern technology. With natural stone textures, Jonite bathroom grates add a modern and elegant flair to public bathrooms.







Slotted

Waveline

#### **Rounded Edge Profiles**

With its specially rounded curve profiles, liquids are easily flushed away from the surface of the grates. This prevents any liquids from stagnating on the surface as well as easy cleaning and maintenance. Even with the rounded curve profiles, the matte stone texture still provides natural slip resistance.

#### Customisation

Jonite Bathroom Grates comes in two standard designs, the Slotted and the Waveline. They are fully customisable, in terms of colours, designs, sizes and textures, they are all available upon request.

# GENERAL SPECIFICATIONS

Jonite created the world's first reinforced stone bathroom grates. In the past, the only option for architects when designing drainage coverings for public toilets was stainless steel grates which were expensive and slippery.

Now, countless architects have used Jonite bathroom grates in public bathrooms to create modern, beautiful, hygienic, and safe toilets.

Beautifully crafted and created to drain excess and wastewater effectively, Jonite bathroom grates are used in urinals, cubicles, and even washbasins in public bathrooms. Architects and interior designers choose our reinforced stone toilet gratings because our grates can be blended with the colours of floor tiles to create a seamless finish.

Our bathroom gratings' rounded curve profiles and matte stone textures also provide slip resistance. Furthermore, Jonite bathroom gratings are easy to maintain without the need for any acid wash and have low water absorption, minimizing the propensity to staining.

Jonite bathroom grates contribute toward satisfying MR Credit 4: Recycled Content under LEED®. The LEED® Green Building Rating System is the nationally accepted benchmark for the design, construction, and operation of high performance green buildings in the U.S.A...

A robust sewerage system for public bathrooms is so essential in providing a comfortable, clean, and pleasant experience for users. More than just serving a sanitation function, we believe that our bathroom and toilet grates are a culmination of ancient history. Stone featured prominently in classical Roman bathrooms and modern technology through the (reinforced) stone.

PRODUCT SPECIFICATIONS

Natural aesthetics

Slip-resistant

Less susceptible to stains

Easy to maintain

MR Credit 4: Recycled Content accredited under LEED

LOADING SPECIFICATIONS

V

A15

Strictly for pedestrian application









SLOTTED

Minimalistic bathroom grate designs that blend in seamlessly with the bathroom floor.



12110

TGS-200

Load class A15

Drain width 159mm to 164mm

Dimension 200W x 500L x 25mm (t)



12112

TGS-250

Load class A15

Drain width 209mm to 214mm
Dimension 250W x 500L x 25mm (t)



12113

Load class A15

Drain width 259mm to 264mm
Dimension 300W x 500L x 25mm (t)

TGS-300



12114 Bone-500

Load class

Drain width
Dimension

6KN 455mm to 464mm 500W x 250L x 30mm (t)

**WAVELINE** 

This waves-inspired collection of bathroom grates lend a modern touch to the bathroom floor for an additional creative aesthetic.





11110

WAVELINE-185

Load class A15

Drain width

150mm to 155mm

Dimension 185W x 500L x 20mm (t)



11112

**WAVELINE-220** 

Load class A15

Drain width 179mm to 184mm

220W x 500L x 25mm (t) Dimension



11113

**WAVELINE-250** 

Load class A15

Drain width 209mm to 214mm

Dimension 250W x 500L x 25mm (t)

89



11114

Load class A15

Drain width 234mm to 239mm

Dimension 275W x 500L x 25mm (t)

**WAVELINE-275** 

**WAVELINE-500** 



11115

Load class 6KN

Drain width 459mm to 464mm

90

500W x 250L x 25mm (t) Dimension



#### FLOOR DRAINS

General Information	9
Tile-Up	9
Driveway	9
Hinged	9
Classic	9
Modern	9



03

#### PRODUCTS $\rightarrow$

#### Floor Drains

#### Floor-bonded

Jonite's homogenous stone floor drains can match any tile to form a trap cover, achieving desired coherence with functional designs. We aim to continue designing floor drains that blend seamlessly into any flooring.



#### Tile-Up™ Collection

Clean, seamless and corrosion-free, our Tile- $Up^{TM}$  Collection uses existing floor tiles with slit gaps as the solution preferred by architects. An alternative to the usual option of raw concrete screeds, unstable covers and untidy holes, the Tile- $Up^{TM}$  Collection is aesthetically pleasing, easy to install and an effective system.



#### Classic Collection

The classic collection is exclusive with the use of Jonite stone, durable yet aesthetically pleasing. You will be pampered with a choice of 16 different standard colours or unlimited custom colours.



#### **Hinged Collection**

Do away with the hassle of handling of floor traps; our Hinged Collection is the perfect partner for applications that requires frequent access to the pipes for cleaning.



#### Modern Collection

Complete your drain application with style and practicality; our modern collection offers everything except the mundane features of a typical floor trap.



#### **Odour & Insect Resistant**

Jonite floor drains are designed to accommodate PVC strainers and foul-air restrainers to prevent insects and unpleasant odours from arising.

# GENERAL SPECIFICATIONS

Once considered a luxury only for the rich in ancient Rome, the toilet or WC has become a familiar and necessary sight in the modern home. Many designers focus on various fixtures to provide comfort for their clients, but the humble floor drain is often overlooked.

However, adding floor drains and point drains is not only necessary and but also considered a great design because it enables easy toilet maintenance. Stagnant water in the toilets can damage the flooring in the long term and become a hotspot for mosquito breeding in the tropics. Good floor drains can prevent stagnant water from pooling up and can allow for some stains to be cleansed and removed.

Waterproofing is foremost in our floor drain cover designs, as is the prevention of infiltration by insects and foul air. Special PVC strainers and restrainers fitted with our floor drain traps work to achieve a cleaner environment, giving bathroom users a more pleasant and hygienic experience.

Jonite floor drains are engineered to fulfil crucial functions while remaining an integral component of the structural floor. Our most popular series is the Tile Up collection where any tile can be used to create a seamless look and feel throughout the bathroom.

Jonite floor drains are available in a wide range of standard colours developed to assist landscape architects in quickly picking the colour they need. More specialized colours are also possible with our colour customization process, allowing any hue or shade desired.

PRODUCT SPECIFICATIONS

 $\downarrow$ 

**Modern aesthetics** 

Easy to maintain

Extreme strength and durability

Prevents foul smells and insects

Special PVC strainers and restrainers fitted

LOADING SPECIFICATIONS

 $\downarrow$ 

5KN

Strictly for pedestrian application





PRODUCTS  $\rightarrow$ 

TILE-UP

One of our most popular collections amongst interior designers, this collection enables you to use any tile to create a point drain cover with all of Jonite's floor drain functionalities.

COLLECTION HINGED

Do away with the hassle of handling of floor traps; our Hinged Collection is the perfect partner for applications that requires frequent access to the pipes for cleaning.



71111

71110

Component

Dimension

FTUS-90/100

FTUS-148/158

Tile-up Trap (Square)

158W x 158L x 30mm (t)

Component Dimension

Tile-up Trap (Shower Square) 100W x 100L x 22mm (t)



72113

FHS-125/158

Component Dimension

Hinged Trap (Square) 158W x 158L x 30mm (t)



72114

FHS-125/158 Blank

Component Dimension

Hinged Trap Blank 158W x 158L x 30mm (t)



72115

FHS-125/158 Dome

Component Dimension

Hinged Trap Dome

158W x 158L x 30(45)mm (t)



Created specifically for use in driveway drainage, this collection is available in 2 standard designs.



72110

Component Dimension

FHS-125/200

Hinged Trap (Large)
200W x 200L x 30mm (t)



75110

FHS-158/200HD

Component Dimension

Driveway Trap (B125) 200W x 200L x 45mm (t)




72111

Dimension

Component Hinged

Hinged Trap Blank (Large) 200W x 200L x 30mm (t)

FHS-125/200 Blank



75111

FHS-158/200HD Blank

Component Dimension

Driveway Trap Blank (B125) 200W x 200L x 45mm (t)




72112

Component

FHS-125/200 Dome

Dimension 200W

Hinged Trap Dome (Large) 200W x 200L x 30(45)mm (t)





COLLECTION CLASSIC

While retaining the features of conventional floor traps, the classic collection is exclusive with the use of Jonite stone, durable yet aesthetically pleasing.



The modern collection of floor drains complement minimalist designs while retaining its functionality and durability.



73112 Component

Dimension

FCR90/100 Shower

Classic Shower Trap (Round) 100mm Dia. x 25mm (t)



74110

Component Dimension

FMAS-135/158

Modern Americ Square 158W x 158L x 30mm (t)



73111

FCSR-135/158

Component Classic Square Trap (with Round cover) Dimension

158W x 158L x 30mm (t)



74111

Component Dimension

FMAR-145/165

Modern Americ Round 165mm Dia. x 30mm (t)



73110

FCR-145/165

Classic Round Trap Component 165mm Dia. x 30mm (t) Dimension




74112

Component Dimension

FMSR-145/165

Modern Slotted 165mm Dia. x 30mm (t)



### VENTILATION GRILLES

Forest 101 General Information 102

# Ventilation Grilles

One of our newest lines of products, the ventilation grate is a natural extension of our existing reinforced stone hardscape products.

Ventilation can now be beautiful and multi-purpose, enabled by our highly customizable designs and excellent load-bearing strength.



COLLECTION

**FOREST** 

Inject tropical vibes into your design with this collection of reinforced stone ventilation grilles inspired by the forest.



65110

FOREST-VG-300

Drain width Dimension 250mmW (max.) 300W x 500L x 25mm (t)



6511

FOREST-VG-445

Drain width Dimension 385mmW (max.)

445W x 490L x 35mm (t)

# GENERAL SPECIFICATIONS

Ventilation is of primary concern to architects. When designed well, it can make a building come alive and can help building owners achieve green energy savings through improved ventilation. Every building design is unique. Therefore the Net Free Area requirements for ventilation grilles can vary vastly.

Here at Jonite, with over 20 years of experience in the materials industry partnering with landscape architects, we understand this deeply. All of our decorative ventilation grilles can be customized to fit your requirements for open area percentage of ventilation, span, or design.

Traditional metal ventilation grilles are typically highly functional but non-decorative. We design our ventilation grilles with the aspiration of bringing an exciting alternative to aluminium or metallic alloy ventilation grilles through the introduction of beautiful reinforced stone products.

Architects can expand their hardscape, and urban designs to anywhere their imagination bring them. Ventilation grilles no longer need to be hidden, concealed, or minimized- but can become an entire design highlight or blended into the other hardscape design elements.

Leveraging on Jonite ventilation grilles' excellent load-bearing strength, architects can now incorporate ventilation in other applications that were not possible in the past. Architects have used the power of our grates to circumvent safety issues of ventilation being situated directly above the basement car parks. Other architects have used Jonite custom ventilation grilles for multiple purposes as both ventilation and a walking platform. This custom feature opens up an exciting avenue to express creativity and create something unique. The possibilities are endless, as you can specify it and we can custom-build it.

PRODUCT SPECIFICATIONS

Highly customizable

Beautiful modern aesthetics

**Excellent load-bearing strength** 

Unlimited colours and designs

LOADING SPECIFICATIONS

 $\downarrow$ 

5KN - Class D400













 $\rightarrow$ 

# STREET BENCHES

General Information 105 BR 107 SS 108

# Street Benches

Stone street furniture doesn't have to be heavy and bulky. It can be sleek and modern but still be able to withstand the elements — rain, sun, sleet, snow, or more. Jonite's versatile panels make the perfect site furnishing such as street benches.



105

#### Philosophy

The Banco Series is created using contemporary, ergonomic and versatile designs of structure elements such as pedestals and panels using various Jonite creative panels. Customisable with unlimited colours, patterns & textures.

#### **Custom Design on Panel Grates**

The Banco Benches can easily create exclusive designs representing a corporate insignia or municipal logo on the panel-grate, giving a unique identity to parks or commercial open spaces.

# GENERAL SPECIFICATIONS

Street furniture plays a ubiquitous part of street design. When deciding on what type of site furnishing and where to place them, landscape architects not only have to consider aesthetics and functionality. The impact the street furniture has on road safety, pedestrian mobility, and the city's visual identity is also essential.

A growing movement in architecture is to provide green spaces as a counterbalance to modern city skylines. Architects have a fine line to tread between the balance of nature and modern architecture. Public areas such as parks are the perfect stages to accomplish this goal- and what better way to add a further touch of life through natural stone site furnishing?

Jonite's Banco street bench is a natural extension of our existing line of grates and panels. This new line of site furnishing offers a unified look throughout your design from drainage grates to street furniture.

Our Banco street benches are created to be ergonomic and versatile. Come in fully knock-down or pre-assembled systems to accommodate standard or customized components while being sturdy and cost-effective. Our R&D team worked towards a vision of sleek and modern designs, breaking the mould of large and heavy stone street benches.

Easily add creative and beautiful touches through the creation of unique designs featuring a corporate insignia or municipal logo on the panel-grate, giving an exclusive identity to the parks or commercial open spaces.

If you would like to go beyond street benches, our experienced R&D team can work with you to create custom street furniture and site furnishings for imaginative applications. Refreshing, exciting, and unified reinforced stone finishes in unexpected places will create a new depth in your designs.

At least 30% of our Banco street furniture is made of recycled products: this is our way of contributing to a green and sustainable environment.

PRODUCT SPECIFICATIONS

 $\downarrow$ 

Sturdy & ergonomic

Extreme load-bearing strength

Customizable logos and designs

Low heat absorption

LOADING
SPECIFICATIONS

 $\downarrow$ 

5KN

Strictly for seating application



BR

The BR series consists of street benches with ergonomic backing designed for the comfort of users. Available in 2-seater or 3-seater standard configurations.



21110 Dimension BR 300-2 SEATER

1150L x 823W x 780mmH



21111

Dimension

BR 300-3 SEATER

107

1700L x 823W x 780mmH

COLLECTION

SS

The SS series comprises of benches without backing, to provide uninterrupted sightlines, bringing the spotlight onto the natural surroundings. Available in 2 seating configurations.



21112

Dimension

**SS 210-2 SEATER** 

1150L x 638W x 447mmH



21113

Dimension

**SS 210-3 SEATER** 

1700L x 638W x 447mmH

#### Copyright

© Copyright Reserved 2020. The materials, drawings and the design shown here are the exclusive property of Jonite Pte. Ltd. It shall not be copied nor its contents communicated or reproduced in any form and for any purpose without the prior specific authority in writing of Jonite Pte. Ltd.

#### Disclaimer

All reasonable care has been taken in compiling the information in this catalogue. All recommendations and suggestions on the use of Jonite products are made without guarantee since the conditions of use are beyond the control of the Company. It is the customer's responsibility to ensure that each product is fit for its intended purpose and that the actual conditions of use are suitable and appropriate.

This catalogue and any advice provided by Jonite Pte. Ltd are free of change and accordingly, no liability of any kind (including liability for negligence) will attach to the Company or its agents arising out of or in connection with or in relation to this catalogue or any such advice. Any goods supplied by the Company will be supplied solely upon its standard conditions of sale, copies of which are available on request.

The company's policy of continuous product development and improvements renders specifications liable to modification. Information provided in this catalogue is therefore subject to change without prior notification.