

## **Notes**

- Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- 2. The finished level of the concrete encasement should be 3-5mm above the channel edge.
- 3. Expansion control joints are recommended for protection of the concrete encasement.



# 704 200mm x 150mm Load Class C150 - D210

FOR ASPHALT

# **Specification Clause**

The surface drainage system Sabdrain 704 200150 polypropylene plastic channel fitted with Cast Iron Heel Guard Grating, Load Class Rating – D210.\*

\*Load Classification AS3996:2006 C150 & D210 is similar to EN1433:2006 C250.

# **Properties**

Sabdrain 704 200150 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH
TENSILE STRENGTH
DENSITY
WATER ABSORPTION
THERMAL EXPANSION COEFFICIENT

58N/mm²
14N/mm²
0.960 g/cm²
<0.05%
T15x12-5 mm/°C

FROST PROOF YES

MELTING POINT

CO EFFICIENT OF ROUGHNESS

CHEMICAL RESISTENCE

NON FLAMMABLE

YES

YES

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

#### **Dimensions**

Sabdrain 704 200150 channels dimensions shall be an internal height of 150mm with an internal width of 200mm and an overall height of 200mm and width of 250mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

### Grates

Refer to the relevant specification sheet for the selected grate.

## Installation

The Sabdrain 704 200150 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

