

### **Notes**

- Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- The finished level of the concrete encasement should be 3-5mm above the channel
- Expansion control joints are recommended for protection of the concrete encasement.



# 707 200mm x 150mm **Load Class C150 - D210**

FOR CONCRETE

### **Specification Clause**

The surface drainage system Sabdrain 707 200150 polypropylene plastic channel fitted with Cast Iron Heel Guard Grating, Load Class Rating - D210.\*

\*Load Classification AS3996:2006 C150 & D210 is similar to EN1433:2006 C250.

## **Properties**

Sabdrain 707 200150 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH 58N/mm<sup>2</sup> TENSILE STRENGTH 14N/mm<sup>2</sup> 0.960 g/cm<sup>2</sup> DENSITY WATER ABSORPTION <0.05% THERMAL EXPANSION COEFFICIENT 15x12<sup>-5</sup> mm/°C

YES FROST PROOF

162 - 168 °C **MELTING POINT** CO EFFICIENT OF ROUGHNESS N=0.010 CHEMICAL RESISTENCE YES YES NON FLAMMABLE

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

#### **Dimensions**

Sabdrain 707 200150 channels dimensions shall be an internal height of 150mm with an internal width of 200mm and an overall height of 200mm and width of 250mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

### Grates

Refer to the relevant specification sheet for the selected grate.

### Installation

The Sabdrain 707 200150 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

