
**Expansion Joint to Engineers** 



### Notes

- 1. Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- 2. The finished level of the concrete encasement should be 3-5mm above the channel edge.
- 3. Expansion control joints are recommended for protection of the concrete encasement.



# **707 200mm x 200mm Load Class C150 - D210** FOR ASPHALT

## **Specification Clause**

The surface drainage system Sabdrain 707 200200 polypropylene plastic channel fitted with Cast Iron Heel Guard Grating, Load Class Rating - D210.\*

\*Load Classification AS3996:2006 C150 & D210 is similar to EN1433:2006 C250.

#### Properties

Sabdrain 707 200200 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH TENSILE STRENGTH	58N/mm² 14N/mm²
DENSITY	0.960 g/cm <sup>2</sup>
WATER ABSORPTION	<0.05%
THERMAL EXPANSION COEFFICIENT	15x12⁵ mm/°C
FROST PROOF	YES
MELTING POINT	162 - 168 °C
CO EFFICIENT OF ROUGHNESS	N=0.010
CHEMICAL RESISTENCE	YES
NON FLAMMABLE	YES

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

#### Dimensions

Sabdrain 707 200200 channels dimensions shall be an internal height of 200mm with an internal width of 200mm and an overall height of 250mm and width of 250mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

#### Grates

Refer to the relevant specification sheet for the selected grate.

#### Installation

The Sabdrain 707 200200 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

