

### **Notes**

- Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- 2. The finished level of the concrete encasement should be 3-5mm above the channel edge.
- 3. Expansion control joints are recommended for protection of the concrete encasement.



# 901 200mm x 200mm - Load Class A10

FOR ASPHALT

## **Specification Clause**

The surface drainage system shall be Sabdrain 901 200 200 polypropylene plastic channel, fitted with 304 stainless steel heel guard grating Load Class - A10

### **Properties**

Sabdrain 901 200200 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH 58N/mm²
TENSILE STRENGTH 14N/mm²
DENSITY 0.960 g/cm²
WATER ABSORPTION <0.05%

THERMAL EXPANSION COEFFICIENT 15x12-5 mm/°C

FROST PROOF YES

MELTING POINT

CO EFFICIENT OF ROUGHNESS

CHEMICAL RESISTENCE

NON FLAMMABLE

MELTING POINT

162 - 168 °C

N=0.010

YES

YES

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

#### **Dimensions**

Sabdrain 901 200200 channels dimensions shall be an internal height of 200mm with an internal width of 200mm and an overall height of 250mm and width of 250mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

#### Grates

Refer to the relevant specification sheet for the selected grate.

### Installation

The Sabdrain 901 200200 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

