

#### Notes

- 1. Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- 2. The finished level of the concrete encasement should be 3-5mm above the channel edge.
- 3. Expansion control joints are recommended for protection of the concrete encasement.



# 902 100mm x 100mm - Load Class A10

FOR CONCRETE

## **Specification Clause**

The surface drainage system shall be Sabdrain 902 100 100 polypropylene plastic channel, fitted with 304 stainless steel heel guard anti-slipgrating Load Class – A10

## Properties

Sabdrain 902 100100 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH	58N/mm <sup>2</sup>
TENSILE STRENGTH	14N/mm²
DENSITY	0.960 g/cm <sup>2</sup>
WATER ABSORPTION	<0.05%
THERMAL EXPANSION COEFFICIENT	15x12⁵ mm/°C
FROST PROOF	YES
MELTING POINT	162 - 168 °C
CO EFFICIENT OF ROUGHNESS	N=0.010
CHEMICAL RESISTENCE	YES
NON FLAMMABLE	YES
for detailed chemical registrance, refer to https://aphdrain.com.cu/ahamical regist	

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

#### Dimensions

Sabdrain 902 100100 channels dimensions shall be an internal height of 100mm with an internal width of 100mm and an overall height of 150mm and width of 150mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

# Grates

Refer to the relevant specification sheet for the selected grate.

### Installation

The Sabdrain 902 101000 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

