

Notes

- Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- 2. The finished level of the concrete encasement should be 3-5mm above the channel edge.
- 3. Expansion control joints are recommended for protection of the concrete encasement.



603 300mm x 300mm - Load Class C150

FOR CONCRETE

Specification Clause

The surface drainage system shall be Sabdrain 603 300 300 polypropylene plastic channel, fitted with galvanised steel grating Load Class - C150.

Properties

Sabdrain 603 300300 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH
TENSILE STRENGTH
DENSITY
WATER ABSORPTION

58N/mm²
14N/mm²
0.960 g/cm²
<0.05%

THERMAL EXPANSION COEFFICIENT 15x12-5 mm/°C

FROST PROOF YES

MELTING POINT

CO EFFICIENT OF ROUGHNESS

CHEMICAL RESISTENCE

NON FLAMMABLE

MELTING POINT

162 - 168 °C

N=0.010

YES

YES

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

Dimensions

Sabdrain 603 300300 channels dimensions shall be an internal height of 300mm with an internal width of 300mm and an overall height of 370mm and width of 390mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

Grates

Refer to the relevant specification sheet for the selected grate.

Installation

The Sabdrain 603 300300 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

