

Notes

- Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated. Always seek engineering advice.
- The finished level of the concrete encasement should be 3-5mm above the channel
- Expansion control joints are recommended for protection of the concrete encasement.



351 150mm x 100mm - Load Class A10

FOR ASPHALT

Specification Clause

The surface drainage system shall be SABdrain 351 150 100 polypropylene plastic channel, fitted with polypropylene grating Load Class - A10.

Properties

SABdrain 351 150100 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH 58N/mm² 14N/mm² TENSILE STRENGTH **DENSITY** 0.960 a/cm² WATER ABSORPTION <0.05% THERMAL EXPANSION COEFFICIENT 15x12⁻⁵ mm/°C

FROST PROOF YES

MELTING POINT 162 - 168 °C N=0.010 CO EFFICIENT OF ROUGHNESS CHEMICAL RESISTENCE YES NON FLAMMABLE YES

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

Dimensions

SABdrain 351 150100 channels dimensions shall be an internal height of 150mm with an internal width of 100mm and an overall height of 150mm and width of 200mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

Grates

Refer to the relevant specification sheet for the selected grate.

Installation

The SABdrain 351 150100 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

