
Expansion Joint to Engineers



#### Notes

- 1. Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- 2. The finished level of the concrete encasement should be 3-5mm above the channel edge.
- 3. Expansion control joints are recommended for protection of the concrete encasement.



# 704 200mm x 250mm Load Class D210

FOR CONCRETE

## Specification Clause

The surface drainage system Sabdrain 704 200250 polypropylene plastic channel fitted with Cast Iron Load Class Rating – D210.\*

\*Load Classification AS3996:2006 C150 & D210 is similar to EN1433:2006 C250.

#### **Properties**

Sabdrain 704 200250 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH TENSILE STRENGTH	58N/mm² 14N/mm²
DENSITY	0.960 g/cm²
WATER ABSORPTION	<0.05%
THERMAL EXPANSION COEFFICIENT	15x12⁻⁵ mm/°C
FROST PROOF	YES
MELTING POINT	162 - 168 °C
CO EFFICIENT OF ROUGHNESS	N=0.010
CHEMICAL RESISTENCE	YES
NON FLAMMABLE	YES

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

#### Dimensions

Sabdrain 704 200250 channels dimensions shall be an internal height of 250mm with an internal width of 200mm and an overall height of 300mm and width of 250mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

### Grates

Refer to the relevant specification sheet for the selected grate.

#### Installation

The Sabdrain 704 200250 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

