

Notes

- Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- 2. The finished level of the concrete encasement should be 3-5mm above the channel edge.
- 3. Expansion control joints are recommended for protection of the concrete encasement.



706 200mm x 150mm - Load Class G 900 FOR CONCRETE

Specification Clause

The surface drainage system shall be Sabdrain 706 200150 polypropylene plastic channel fitted with Cast Iron grating Load Class – G900.*

*Load Classification AS3996:2006 G900 is similar to EN1433:2008 F900

Properties

Sabdrain 706 200150 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH
TENSILE STRENGTH
DENSITY
WATER ABSORPTION
THERMAL EXPANSION COEFFICIENT
THERMAL EXPANSION COEFFICIENT
TENSITY
THERMAL EXPANSION COEFFICIENT
THERMAL EXPANSION COEFFICIENT
THERMAL EXPANSION COEFFICIENT
THERMAL EXPANSION COEFFICIENT

FROST PROOF YES

MELTING POINT 162 – 168 °C CO EFFICIENT OF ROUGHNESS N=0.010 CHEMICAL RESISTENCE YES

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

YES

Dimensions

NON FLAMMABLE

Sabdrain 706 200100 channels dimensions shall be an internal height of 100mm with an internal width of 200mm and an overall height of 150mm and width of 250mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

Grates

Refer to the relevant specification sheet for the selected grate.

Installation

The Sabdrain 704 200150 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

