

#### Notes

- Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- The finished level of the concrete encasement should be 3-5mm above the channel
- Expansion control joints are recommended for protection of the concrete encasement.



# 902 100mm x 150mm - Load Class A10

FOR ASPHALT

## Specification Clause

The surface drainage system shall be Sabdrain 902 100 150 polypropylene plastic channel, fitted with 304 stainless steel heel guard anti-slipgrating Load Class - A10

### **Properties**

Sabdrain 902 100150 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH 58N/mm<sup>2</sup> 14N/mm<sup>2</sup> TENSILE STRENGTH **DENSITY** 0.960 a/cm<sup>2</sup> WATER ABSORPTION <0.05% THERMAL EXPANSION COEFFICIENT 15x12<sup>-5</sup> mm/°C

FROST PROOF YES

**MELTING POINT** 162 - 168 °C N=0.010 CO EFFICIENT OF ROUGHNESS CHEMICAL RESISTENCE YES NON FLAMMABLE YES

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

#### **Dimensions**

Sabdrain 902 100150 channels dimensions shall be an internal height of 150mm with an internal width of 100mm and an overall height of 200mm and width of 150mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

## Grates

Refer to the relevant specification sheet for the selected grate.

#### Installation

The Sabdrain 902 100150 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

