

Notes

- Concrete encasement dimensions and/or reinforcement changes may be required for specific site conditions. Minimum concrete strength of 25MPa is recommended. Ensure concrete is vibrated Alwaysseek engineering advice.
- 2. The finished level of the concrete encasement should be 3-5mm above the channel edge.
- 3. Expansion control joints are recommended for protection of the concrete encasement.



902 200mm x 50mm - Load Class A10

FOR CONCRETE

Specification Clause

The surface drainage system shall be Sabdrain 902 200 50 polypropylene plastic channel, fitted with 304 stainless steel heel quard anti-slipgrating Load Class - A10

Properties

Sabdrain 902 20050 polypropylene plastic channels shall meet the following properties:-

COMPRESSIVE STRENGTH 58N/mm² 14N/mm² TENSILE STRENGTH **DENSITY** 0.960 a/cm² WATER ABSORPTION <0.05% THERMAL EXPANSION COEFFICIENT 15x12⁻⁵ mm/°C FROST PROOF YES **MELTING POINT** 162 - 168 °C N=0.010 CO EFFICIENT OF ROUGHNESS

CO EFFICIENT OF ROUGHNESS
CHEMICAL RESISTENCE
NON FLAMMABLE

N=0.010
YES
YES

for detailed chemical resistance, refer to https://sabdrain.com.au/chemical-resistance/

Dimensions

Sabdrain 902 20050 channels dimensions shall be an internal height of 50mm with an internal width of 200mm and an overall height of 100mm and width of 250mm, with Male/Female interlocking joints, the channels shall have provision to create a 2° (17M) Radius.

Grates

Refer to the relevant specification sheet for the selected grate.

Installation

The Sabdrain 902 20050 Drainage system shall be installed for its intended purpose. Any improper installation and usage could result in product failure.

